

1. A combination holder for use with premoistened towelettes, a roll of toilet paper, air freshener and toiletries, comprising:
  - a. a top portion having an openable container having a front wall, sidewalls, a back wall which extends a distance below the container, a bottom wall and a top which is rotatably mounted to the container, the front wall, sidewalls, bottom wall, back wall and top surrounding an interior compartment;
  - b. a vertical wall below said openable container, the vertical wall having a front surface and spaced apart from the portion of the back wall which extends below the container so that an opening is formed between the back wall and the vertical wall;
  - c. a cylindrical support connected to the vertical wall at the location where the vertical wall and the bottom wall of the container intersect, the cylindrical support rotatably supporting an openable ring having a lower horizontally disposed bar;
  - d. a slidable wall supported within the opening between said back wall and said vertical wall, the slidable wall having a multiplicity of ratchet teeth which respectively engage with a pawl supported on said vertical wall so that the slidable wall can be slid to a desired distance below said ring; and
  - e. a tray mounted on said slidable wall, the tray having a front wall, sidewalls and a bottom, a portion of said slidable wall serving as the rear wall of the tray, the tray being open at its top;
  - f. whereby, said openable container retains the premoistened wipes, the ring opens to receive a roll of toilet paper and the ring rotatably retains the roll of toilet paper, and the tray retains the air freshener and toiletries at any desired distance below the ring.
2. The combination holder in accordance with Claim 1, further comprising means to mount said combination holder to a wall.

3. The combination holder in accordance with Claim 2, wherein said mounting means are a pair of spaced apart brackets on said rear wall, each bracket designed to receive a retaining nail or screw which has been fastened to a wall adjacent a toilet.
4. The combination holder in accordance with Claim 2, wherein said mounting means includes at least one pair of spaced apart openings in said back wall, each opening designed to receive a retaining nail or screw which has been fastened to a wall adjacent a toilet.
5. The combination holder in accordance with Claim 1, wherein said openable ring further comprises a break in the ring, with mating fastener members is said ring adjacent the location of the break.
6. The combination holder in accordance with Claim 1, wherein said combination holder is made of plastic.
7. A combination holder for use with premoistened towelettes, a roll of toilet paper, and objects, comprising:
  - a. a top portion having an openable container having circumferential walls, a back wall which extends a distance below the container, a bottom wall and a top which is openably mounted to the container, the circumferential walls, bottom wall, back wall and top surrounding an interior compartment;
  - b. a vertical wall below said openable container, the vertical wall having a front surface and spaced apart from the portion of the back wall which extends below the container so that an opening is formed between the back wall and the vertical wall;
  - c. a support connected to the holder at a location below said openable container, the support rotatably supporting an openable ring;

- 15
- d. a slidable wall supported within the opening between said back wall and said vertical wall, the slidable wall having adjustment means which work in concert with said vertical wall so that the slidable wall can be slid to a desired distance below said ring; and
- e. a tray mounted on said slidable wall, the tray having a circumferential wall and a bottom, a portion of said slidable wall serving as the rear wall of the tray, the tray being open at its top;
- 20
- f. whereby, said openable container retains the premoistened wipes, the ring opens to receive a roll of toilet paper and the ring rotatably retains the roll of toilet paper, and the tray retains the objects at any desired distance below the ring.
8. The combination holder in accordance with Claim 7, further comprising means to mount said combination holder to a wall.
9. The combination holder in accordance with Claim 8, wherein said mounting means are a pair of spaced apart brackets on said rear wall, each bracket designed to receive a retaining nail or screw which has been fastened to a wall adjacent a toilet.
10. The combination holder in accordance with Claim 8, wherein said mounting means includes at least one pair of spaced apart openings in said back wall, each opening designed to receive a retaining nail or screw which has been fastened to a wall adjacent a toilet.
11. The combination holder in accordance with Claim 7, wherein said openable ring further comprises a break in the ring, with mating fastener members is said ring adjacent the location of the break.

12. The combination holder in accordance with Claim 7, wherein said combination holder is made of plastic.